

SPECIFICATIONS – EVT0001793

Concrete Repairs to Parking Lot, Wichita

Wichita Work Release

401 S. Emporia St.

Wichita, KS. 67202

General Statement of Work

Provide all labor, materials, and equipment necessary to make the needed repairs to the parking lot at the referenced facility as per these specifications and the Event Details. The areas to be repaired have been spray painted by facility staff, with a cumulative square footage of approximately 1,100 SF +/- . Bidders are required to visit the site by scheduling with Dwayne Jantz @ 316-265-5211, ext 224.

Work Requirements

1. Provide all necessary saw-cutting of concrete to full depth to allow for removal of concrete.
2. Remove all concrete rubble as a result of the required demolition.
3. Fine grade the sub-grade materials to allow for the new 5" thick concrete pavement.
4. Drill and install #4 rebar dowels into existing edges of concrete at two foot centers.
5. Provide 6" by 6" – 10/10 Welded Wire Fabric properly supported by metal chairing (no bricks).
6. Provide one #4 rebar continuous at additional 6" thickened edge.
7. Provide 4000 PSI air entrained concrete with maximum slump of 4".
8. Provide all necessary edge forming.
9. Clean all concrete residue from existing concrete edges as a result of striking off the concrete, on the same day as poured. Use water and stiff brushes as necessary.
10. Provide any backfill needed at thickened edge.
11. Provide all necessary cleanup that was created as a result of these work activities.

General Requirements

1. Bidders are required to submit one copy of a properly completed "Event Details" document, and all additional documents required by the Event Details. Please read the Event Details carefully.
2. All questions related to this bid event should be directed via email to the Procurement Officer indicated in the Event Details. Answers to questions will be available in the form of an amendment on the Procurement and Contracts' website: <http://da.ks.gov/purch> . Bidders are required to check the website periodically for any additional changes to specifications or bid opening date and time changes.